## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	115643	(separat\$3 or divide or pars\$3) near2 (bit or information or sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:41
L2	615	unequal error protection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:44
L3	109239	(plural\$3 or multiple or second or two) near3 encod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:44
L4	611	11 with I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:45
L5	0	4 with  2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:45
L6	0	4 same  2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:45
L7	9	I4 and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:46
L8	7	1 with I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 12:47
L9	1899	brink\$.in.	USPAT	OR	OFF	2008/10/17 12:53

L10	0	l9 and l2	USPAT	OR	OFF	2008/10/17 12:53
L11	37	19 and 13	USPAT	OR	OFF	2008/10/17 12:53
L12	0	chase-s\$xa. and l2	USPAT	OR	OFF	2008/10/17 13:00
L13	10	chase-s\$.xa. and l2	USPAT	OR	OFF	2008/10/17 13:01
L14	1	"5170396".pn.	USPAT	OR	OFF	2008/10/17 13:19
L15	4	I2 with I3	USPAT	OR	OFF	2008/10/17 13:20
L16	219113	(separat\$3 or divide or pars\$3 "class 1" or "class 2") near2 (bit or information or sequence or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 13:21
L17	1011	I16 with I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 13:24
L18	4	I17 with ("class 1" or "class 2")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 13:29
L19	4	117 same ("class 1" or "class 2")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/10/17 13:31
SI	116321	(separat\$3 or divide or dividing or pars\$3) near2 (bit or information or sequence)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18
S2	277003	(bit or information or sequence) near4 (subset or branch or class or block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:31

S3	20535	encod\$3 with (S1 or S2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:32
S4	392	((individual\$2 or parallel) near4 encod\$3) with (S1 or S2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:32
S5	19	S4 with ((second or another or two) near2 encod \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:33
S6	5071	encod\$3 with S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:39
S7	196	((individual\$2 or parallel) near4 encod\$3) with S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:39
S8	8818	(separat\$3 or divide or dividing or pars\$3) near6 ((code or coding) near2 (bit or information or sequence or block or word))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:41
S9	20	((individual\$2 or parallel) near4 encod\$3) with S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:42
S10	12143	((code or coding) near2 (bit or information or sequence)) near6 (subset or branch or class or block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:47
S11	15	((individual\$2 or parallel) near4 encod\$3) with S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:51

S12	46	((individual\$2 or parallel) near4 encod\$3) same S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:52
S13	48	((individual\$2 or parallel) near4 encod\$3) with pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:55
S14	71	((individual\$2 or parallel) near4 encod\$3) same pars\$3	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 14:56
S15	40508	(multiple or plural \$3 or two or another or second) near4 (coding or "coding branch")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18
S16	2511	(separat\$3 or divide or dividing or pars\$3) with S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:37
S17	144	S15 near8 subset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:38
S18	457	encod\$3 with (S16 or S17)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:38
S19	4	((individual\$2 or parallel) near4 encod\$3) with (S16 or S17)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:39
S20	5	((individual\$2 or parallel) near4 encod\$3) same (S16 or S17)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:40

S21	15	((individual\$2 or parallel) with encod\$3) same (S16 or S17)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:40
S22	5763	("code word" or codeword or "code sequence" or "code path" or "code path" or "code path" or "coding branch") near4 (subsets or "miltiple paths" or "multiple branches" or "plural paths" or "plural paths" or "plural paths" or plural paths" or plural paths" or "plural paths" or "plura	US-PCPUB; USPAT; USOAT; PPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:45
S23	22	((individual\$2 or parallel) near5 encod\$3) with \$22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/18 15:46
S24	390	((individual\$2 or parallel) near5 encod\$3) with ("codeword" or "code block" or "coded data" or "coded block")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:28
<b>S2</b> 5	7	\$24 with ((plural \$3 or multiple or second or another or two) near4 (segment or branch or path or subset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:29
S26	10	\$24 same ((plural \$3 or multiple or second or another or two ) near4 (segment or branch or path or subset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:32

S27	16	\$24 same ((plural \$3 or multiple or second or another or two) with (segment or branch or path or subset))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:33
S28	170	\$24 and ((plural \$3 or multiple or second or another or two) with (segment or branch or path or subset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:41
S29	5	\$24 with ((plural \$3 or multiple or second or another or two ) near8 (cod\$3 near2 (branch or path or unit or line or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:43
S30	8	\$24 same ((plural \$3 or multiple or second or another or two ) near8 (cod\$3 near2 (branch or path or unit or line or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:43
S31	14	\$24 same ((plural \$3 or multiple or second or another or two ) with (cod\$3 near5 (branch or path or unit or line or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:44
<b>S</b> 32	92	\$24 and ((plural \$3 or multiple or second or another or two ) with (cod\$3 near5 (branch or path or unit or line or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 11:46

S33	10	S24 with turbo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	mADJ	ON	2008/03/19 11:51
S34	2641	(((plural\$3 or multiple or two or second or another or parallel) near4 (encoder or encod \$3)) with ("codeword" or "code block" or "coded data" or "coded block")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:03
S35	385	S34 with (branches or paths or units or segments or subsets)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:06
S36	2	S35 with (reed solomon) with (trellis or turbo or parity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:08
<b>S</b> 37	4	S35 same ("reed solomon" or (different encod \$3)) same (trellis or turbo or parity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:11
<b>S3</b> 8	68	S35 and ("reed solomon" or (different encod \$3)) and (trellis or turbo or parity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:11
S39	4440	(pars\$3 or divide or dividing or separat\$3) near8 ("codeword" or "code word" or "code block" or "coded data" or "coded block")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:14

S40	29	((individual\$2 or parallel) near2 encod\$3) with S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:15
S41	2	(turbo encod\$3) with (parallel near5 ((second encod\$3) or (multiple encod \$3) or (another encod\$3) or ("Reed solmon" encod\$3) or (trellis encod\$3)))	US-PCPUB; USPAT; USCOR; FPPS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:20
S42	6	(turbo encod\$3) same (parallel near5 ((second encod\$3) or (multiple encod \$3) or (another encod\$3) or ("Reed solmon" encod\$3) or (trellis encod\$3)))	US-PGPUB; USPAT; USOGR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:22
S43	249	(parallel near5 ((second encod \$3) or (multiple encod\$3) or (another encod \$3) or ("Reed solmon" encod \$3) or (trellis encod\$3)))	US POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19
S44	4	S43 with S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:24
S45	5	S43 same S39	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:25
S46	11	S43 and S39	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT	ADJ	ON	2008/03/19 12:26

10/17/2008 1:33:53 PM

C:\ Documents and Settings\ SChase\ My Documents\ EAST\ Workspaces\ 10565194.wsp